
FlatDict Documentation

Release 1.1.1

Gavin M. Roy

Mar 07, 2018

Contents

1 Installation	3
2 Example Use	5
3 Class Documentation	7
Python Module Index	13

FlatDict is a Python module for interacting with nested dicts as a single level dict with delimited keys. FlatDict supports Python 2.7+ and 3.4+.

Jump to [Installation](#), [Example Use](#), [Class Documentation](#), or license.

For example:

```
foo = {'foo': {'bar': 'baz', 'qux': 'corge'}}}
```

is represented as:

```
{'foo:bar': 'baz',  
'foo:qux': 'corge'}
```

And can still be accessed as:

```
foo['foo']['bar']
```

and

```
foo['foo:bar']
```

Additionally, lists and tuples are also converted into dicts using enumerate().

For example:

```
d = {'list': ['a', 'b', 'c']}
```

Will be flattened as follows:

```
flat = {'list:0': 'a', 'list:1': 'b', 'list:2': 'c'}
```


CHAPTER 1

Installation

```
$ pip install flatdict
```


CHAPTER 2

Example Use

```
import flatdict

values = {'foo': {'bar': {'baz': 0,
                         'qux': 1,
                         'corge': 2},
                  'grault': {'baz': 3,
                             'qux': 4,
                             'corge': 5}},
          'garply': {'foo': 0, 'bar': 1, 'baz': 2, 'qux': {'corge': 3}}}

flat = flatdict.FlatDict(values)

print(flat['foo:bar:baz'])

flat['test:value:key'] = 10

del flat['test']

for key in flat:
    print(key)

for values in flat.itervalues():
    print(values)

print(repr(flat.as_dict()))

print(flat == flat.as_dict())
```


CHAPTER 3

Class Documentation

FlatDict is a dict object that allows for single level, delimited key/value pair mapping of nested dictionaries.

class flatdict.FlatDict (*value=None, delimiter=':'*)

FlatDict is a dictionary object that allows for single level, delimited key/value pair mapping of nested dictionaries. The default delimiter value is : but can be changed in the constructor or by calling *FlatDict.set_delimiter()*.

as_dict()

Return the *FlatDict* as a dict

Return type dict

clear()

Remove all items from the flat dictionary.

copy()

Return a shallow copy of the flat dictionary.

Return type flatdict.FlatDict

get (*key, d=None*)

Return the value for key if key is in the flat dictionary, else default. If default is not given, it defaults to None, so that this method never raises KeyError.

Parameters

- **key** (*mixed*) – The key to get
- **d** (*mixed*) – The default value

Return type mixed

items()

Return a copy of the flat dictionary's list of (key, value) pairs.

Note: CPython implementation detail: Keys and values are listed in an arbitrary order which is non-random, varies across Python implementations, and depends on the flat dictionary's history of insertions

and deletions.

Return type list

iteritems()

Return an iterator over the flat dictionary's (key, value) pairs. See the note for [`flatdict.FlatDict.items\(\)`](#).

Using `iteritems()` while adding or deleting entries in the flat dictionary may raise `RuntimeError` or fail to iterate over all entries.

Return type Iterator

Raises `RuntimeError`

iterkeys()

Iterate over the flat dictionary's keys. See the note for [`flatdict.FlatDict.items\(\)`](#).

Using `iterkeys()` while adding or deleting entries in the flat dictionary may raise `RuntimeError` or fail to iterate over all entries.

Return type Iterator

Raises `RuntimeError`

itervalues()

Return an iterator over the flat dictionary's values. See the note for [`flatdict.FlatDict.items\(\)`](#).

Using `itervalues()` while adding or deleting entries in the flat dictionary may raise a `RuntimeError` or fail to iterate over all entries.

Return type Iterator

Raises `RuntimeError`

keys()

Return a copy of the flat dictionary's list of keys. See the note for [`flatdict.FlatDict.items\(\)`](#).

Return type list

pop(key, default=<object object>)

If key is in the flat dictionary, remove it and return its value, else return default. If default is not given and key is not in the dictionary, `KeyError` is raised.

Parameters

- **key** (*mixed*) – The key name
- **default** (*mixed*) – The default value

Return type mixed

popitem() → (k, v), remove and return some (key, value) pair
as a 2-tuple; but raise `KeyError` if D is empty.

set_delimiter(delimiter)

Override the default or passed in delimiter with a new value. If the requested delimiter already exists in a key, a `ValueError` will be raised.

Parameters **delimiter** (*str*) – The delimiter to use

Raises `ValueError`

setdefault (*key, default*)

If key is in the flat dictionary, return its value. If not, insert key with a value of default and return default. default defaults to None.

Parameters

- **key** (*mixed*) – The key name
- **default** (*mixed*) – The default value

Return type mixed**update** (*other=None, **kwargs*)

Update the flat dictionary with the key/value pairs from other, overwriting existing keys.

update () accepts either another flat dictionary object or an iterable of key/value pairs (as tuples or other iterables of length two). If keyword arguments are specified, the flat dictionary is then updated with those key/value pairs: d.update (red=1, blue=2).

Parameters **other** (*iterable*) – Iterable of key, value pairs**Return type** None**values** ()

Return a copy of the flat dictionary's list of values. See the note for [flatdict.FlatDict.items \(\)](#).

Return type list**class** flatdict.**FlatterDict** (*value=None, delimiter=':'*)

Like [FlatDict](#) but also coerces lists and sets to child-dict instances with the offset as the key. Alternative to the implementation added in v1.2 of FlatDict.

as_dict ()

Return the [FlatterDict](#) as a nested dict.

Return type dict**clear** ()

Remove all items from the flat dictionary.

copy ()

Return a shallow copy of the flat dictionary.

Return type [flatdict.FlatDict](#)**get** (*key, d=None*)

Return the value for key if key is in the flat dictionary, else default. If default is not given, it defaults to None, so that this method never raises KeyError.

Parameters

- **key** (*mixed*) – The key to get
- **d** (*mixed*) – The default value

Return type mixed**items** ()

Return a copy of the flat dictionary's list of (key, value) pairs.

Note: CPython implementation detail: Keys and values are listed in an arbitrary order which is non-random, varies across Python implementations, and depends on the flat dictionary's history of insertions and deletions.

Return type list

iteritems()

Return an iterator over the flat dictionary's (key, value) pairs. See the note for [flatdict.FlatDict.items\(\)](#).

Using `iteritems()` while adding or deleting entries in the flat dictionary may raise `RuntimeError` or fail to iterate over all entries.

Return type Iterator

Raises `RuntimeError`

iterkeys()

Iterate over the flat dictionary's keys. See the note for [flatdict.FlatDict.items\(\)](#).

Using `iterkeys()` while adding or deleting entries in the flat dictionary may raise `RuntimeError` or fail to iterate over all entries.

Return type Iterator

Raises `RuntimeError`

itervalues()

Return an iterator over the flat dictionary's values. See the note for [flatdict.FlatDict.items\(\)](#).

Using `itervalues()` while adding or deleting entries in the flat dictionary may raise a `RuntimeError` or fail to iterate over all entries.

Return type Iterator

Raises `RuntimeError`

keys()

Return a copy of the flat dictionary's list of keys. See the note for [flatdict.FlatDict.items\(\)](#).

Return type list

pop(key, default=<object object>)

If key is in the flat dictionary, remove it and return its value, else return default. If default is not given and key is not in the dictionary, `KeyError` is raised.

Parameters

- **key** (`mixed`) – The key name
- **default** (`mixed`) – The default value

Return type mixed

popitem() → (k, v), remove and return some (key, value) pair

as a 2-tuple; but raise `KeyError` if D is empty.

set_delimiter(delimiter)

Override the default or passed in delimiter with a new value. If the requested delimiter already exists in a key, a `ValueError` will be raised.

Parameters `delimiter(str)` – The delimiter to use

Raises `ValueError`

setdefault(key, default)

If key is in the flat dictionary, return its value. If not, insert key with a value of default and return default. default defaults to `None`.

Parameters

- **key** (*mixed*) – The key name
- **default** (*mixed*) – The default value

Return type mixed

update (*other=None, **kwargs*)

Update the flat dictionary with the key/value pairs from other, overwriting existing keys.

`update()` accepts either another flat dictionary object or an iterable of key/value pairs (as tuples or other iterables of length two). If keyword arguments are specified, the flat dictionary is then updated with those key/value pairs: `d.update(red=1, blue=2)`.

Parameters **other** (*iterable*) – Iterable of key, value pairs

Return type None

values ()

Return a copy of the flat dictionary's list of values. See the note for `flatdict.FlatDict.items()`.

Return type list

Python Module Index

f

flatdict, 7

Index

A

as_dict() (flatdict.FlatDict method), 7
as_dict() (flatdict.FlatterDict method), 9

C

clear() (flatdict.FlatDict method), 7
clear() (flatdict.FlatterDict method), 9
copy() (flatdict.FlatDict method), 7
copy() (flatdict.FlatterDict method), 9

F

FlatDict (class in flatdict), 7
flatdict (module), 7
FlatterDict (class in flatdict), 9

G

get() (flatdict.FlatDict method), 7
get() (flatdict.FlatterDict method), 9

I

items() (flatdict.FlatDict method), 7
items() (flatdict.FlatterDict method), 9
iteritems() (flatdict.FlatDict method), 8
iteritems() (flatdict.FlatterDict method), 10
iterkeys() (flatdict.FlatDict method), 8
iterkeys() (flatdict.FlatterDict method), 10
itervalues() (flatdict.FlatDict method), 8
itervalues() (flatdict.FlatterDict method), 10

K

keys() (flatdict.FlatDict method), 8
keys() (flatdict.FlatterDict method), 10

P

pop() (flatdict.FlatDict method), 8
pop() (flatdict.FlatterDict method), 10
popitem() (flatdict.FlatDict method), 8
popitem() (flatdict.FlatterDict method), 10

S

set_delimiter() (flatdict.FlatDict method), 8
set_delimiter() (flatdict.FlatterDict method), 10
setdefault() (flatdict.FlatDict method), 8
setdefault() (flatdict.FlatterDict method), 10

U

update() (flatdict.FlatDict method), 9
update() (flatdict.FlatterDict method), 11

V

values() (flatdict.FlatDict method), 9
values() (flatdict.FlatterDict method), 11